BANCROFT PUBLIC LIBRARY NALOXONE [NARCAN] POLICY

PURPOSE:

To establish guidelines and procedures regarding the utilization and pre-hospital administration of nasal Naloxone by Bancroft Public Library in order to reduce the number of fatalities which occur as a result of opioid overdoses

POLICY:

It is the policy of Bancroft Public Library for trained staff to administer, in accordance with state law and guidelines and oversight, to persons suffering from opioid overdose at the earliest possible time to minimize chances of a fatality

DEFINITIONS:

- 1. **Naloxone:** an opioid receptor antagonist and antidote for opioid overdose produced in intramuscular, intranasal and intravenous forms. Naloxone is specifically used to counteract life threatening depression of the central nervous system and respiratory system. Narcan is a brand name for intranasal Naloxone
- 2. **Opioids:** a class of drugs that interact with opioid receptors on nerve cells in the body and brain. Opioids include the entire family of opiates including natural, synthetic, and semi-synthetic forms. Opioids include drugs such as heroin, synthetic opioids such as fentanyl, and pain relievers available legally by prescription such as oxycodone, hydrocodone and morphine
- 3. **Opioid Overdose:** an acute condition including, but not limited to, extreme physical illness, decreased level of consciousness, respiratory depression, coma, or death resulting from the consumption or use of an opioid or another substance with which an opioid was combined, or that a layperson would reasonably believe to be an opioid-related drug overdose that requires medical assistance

GENERAL PROCEDURES:

- 1. Naloxone shall be securely stored with the First Aid supplies at the front desk
- 2. Bancroft Public Library appoints the Library Director to oversee the Naloxone Policy. The Naloxone Coordinator's responsibilities will include:
 - a. Ensuring that all Naloxone kits are current and unexpired
 - b. Ensure proper and efficient deployment of Naloxone
 - c. Ensure that authorized staff are appropriately trained in the use and storage of Naloxone
 - d. Ensure that any use of Naloxone on an overdose victim is documented in a Usage Report
 - e. Replace Naloxone kits that are damaged, unusable, expired, or used
- 3. Only staff trained in the use of Naloxone are authorized to administer Naloxone at Bancroft Public Library.

PROCEDURES FOR USE:

1. Recognize the Signs of Opioid Overdose

Opioid High	Opioid Overdose	
Relaxed muscles	Pale, clammy skin	
Speech is slowed or slurred	Not breathing or very shallow breathing	
Nodding off, appearing sleepy	Deep snorting or gurgling breaths	
Still responsive to stimuli	Unresponsive to external stimuli	
Normal heart beat/pulse rate	Slowed heart beat/pulse rate	
Normal skin color	Cyanotic skin coloration (blue lips, etc.)	
Smaller than usual pupils	Pinpoint pupils	

- a. Suspected or confirmed opioid overdose consists primarily of:
 - i. Respiratory depression evidenced by slow respiration rate or no breathing
 - ii. Unresponsiveness to stimuli such as calling the victim's name, shaking them, or performing a sternal rub
- b. Suspicion of opioid overdose can be based on:
 - i. Presenting symptoms
 - ii. Reports from bystanders
 - iii. Staff prior knowledge of the victim
 - iv. Nearby medications, illicit drugs or drug paraphernalia

2. Respond to the Opioid Overdose

a. IMMEDIATELY CALL FOR EMERGENCY HELP – DIAL 911

b. Check the victim's breathing. If needed, deliver first aid per your level of training

3. Reverse the Opioid Overdose

a. Administer Naloxone

- i. Administer Naloxone per the manufacturer's instructions
- ii. Once the victim resumes breathing normally, place them in the recovery position, lying on their side
- iii. Stay with the victim until emergency medical help arrives to take over care

Approved: February 14, 2023

NALOXONE [NARCAN] POLICY Page | 3

USAGE REPORT

Employee Name:	Rep	oort Date: /	/		
Date of Overdose: /	_/ Tim	ne of Overdose:			
Location where overdose occurred:					
Gender of the overdose victim:	□Male	□Female	□Unknown		
Signs of overdose present:	□Unresponsive □Breathing Slowly □Other:	□Slow Pulse □Not Breathing	□No Pulse □Blue Lips		
What substances were involved Heroin Morphine Methamphetamine	□Oxycodone □Fentanyl	□Hydrocodone □Benzos/Barbiturates □Other:	Codeine		
Type of Naloxone used: Dintra	muscular□intranasal	□intravenous			
Lot Number:	Expiration Date: / /				
Number of doses used:	Did Naloxone work: □Yes □No □Unknown				
Victim's response to Naloxone: IResponsive & alert IResponsive & sedated INo response					
Did the victim live:	□No	□Unknown			
Post-Naloxone withdrawal sym Nausea Combative	ptoms (check all that ap □Muscle Aches □Vomiting	ply): □None □Runny Nose □Other:	□Irritable or Angry □Watery Eyes		
Other medical action taken:	□Sternal Rub □Oxygen Used □Othe	□Rescue Breathing er:			
Disposition:	Care transferred to EMS				
Notes/Comments:					
Report prepared by:		Signature:			
Library Director:		Signature:			